o : AIG 7846; NFOIO. FT M	EADE. MD:		•	
ROM: NPIC	25.115.115		I I May 2	0-20-31_mmus
CONF:	2 (1)	P R E C	DEFERRED X	PRIORITY DI
NFO:		50 E H	ROUTINE	OPERATIONAL INDIRES
र्गात् हरू प्रदेशका सुनित्राहरू या दिल्ला	e et et et et	ानको भारत्य । अनुस्थानको भारत्य । विकास स्थापन		
			QUT	6986:
o SEE ABOVE	INFO		CITE	9-00
SECRET				8500
· .				
		•	*	Ĭ,
			•	
		Q	•	
ώ · · ·	÷.	. *	. (4)	
	9			
		•		
		•		
3. 3.			è.	/
**************************************		•		•
		•		
	COORDINATIA	NG OFFICERS		4/4
	SECRE			100
		HE ISSUING OFFICE	AUTHENTICAT	

Approved For Release 2009/01/13: CIA-RDP78B03824A000400020059-7

	SECRET					
f/A	CLASSIFICATION					
ORIG: UNIT: EXT: DATE:	:		PAGE <u>1</u> OF <u>5</u>			
	SECTION OF SECTIONS					
	1 14 25 32 43 SUPIR: CA SER: 000429 PRJ: GS MSN: S00253 DTZ:	700501H				
	DAY PHOTO. C CAMERA ON 0435Z, OFF 0622Z. CAN	MERA TYPES	ARE			
	A-HR 308B MOD (TEOC) AND C-9085/64 (OOC). RET	F.	SER.			
	KL0047, DTG 030115Z MAY 70. PACOM NVN CPFL,	ICOD 23 MA	R 70.			
	THIS MESSAGE SUPPLEMENTS INFORMATION CONTAINED	D IN REF.				

PART II. SIGNIFICANT RESULTS

C. CHANGE AND OB ITEMS

RELEASING OFFICER

#20

SECRET

25X1

25X1

25X1

25**X**1

25X1

SECRET

CLASSIFICATION

PAGE 2 OF 5

MPR:AMS SERIES L7014, SHEET 6450-IV

SECRET

CLASSIFICATION

25**X**1

25X1

CLASSIFICATION

**PAGE** 3 OF 5

HON GAI PPS AND PIPELINE U/C ITM002 hh52 54 CTY: VN 205825N1065950E INT: GPV SC SHP FRM: IFR: UTM: 48QYJ077204 SIR: URG: STA:UCO RMK: EXTENSIVE EXCAVATION, GRADING, AND TRENCHING ASSOCIATED WITH A NEW PETROLEUM SYSTEM UNDER CONSTRUCTION ARE OBSERVED 4.9 NM WEST OF HON GAI. THREE AREAS HAVE BEEN EXCAVATED IN PREPARATION FOR BUNKERING OF POL TANKS. THESE AREAS ARE INTERCONNECTED BY TRENCHING FOR SERVICE PIPE. SIX POL TANKS ARE OBSERVED IN AN EXCAVATED AREA AT UTM YJ073199, SIX POL TANKS IN AN EXCAVATED AREA AT YJ073205, AND 19 POL TANKS IN AN EXCAVATED AREA AT YJ077204. IN ADDITION, THERE ARE 19 POL TANKS ALONG A SERVICE ROAD AT YJ080203 AND ONE POL TANK AT YJ074202. THESE TANKS VARY IN SIZE; HOWEVER, THE MAJORITY ARE ESTIMATED AT 60 MT CAPACITY. POL PIPE SECTIONS ARE OBSERVED AT YJ080203 AND AT YJ074202. THESE SECTIONS APPEAR LONGER THAN SECTIONS EMPLOYED IN THE OPERATIONAL PIPE SYSTEM IN THE NVN PANHANDLE. A BURIED DUAL PIPELINE RUNS EASTWARD FROM YJ082203, ROUGHLY PARALLELING THE HON GAI-KEP RAIL LINE AND ALONG THE NORTH SIDE OF THE ILE AUX BUISSONS TO YJ138194, JUST WEST OF THE HON GAI SHIP REPAIR YARD BAI CHAY. AT THIS POINT CLOUDS PRECLUDE FURTHER PLOTTING OF THE PIPELINE COURSE. A SECOND DUAL PIPELINE IS UNDER CONSTRUCTION. THIS LINE RUNS WESTWARD, PARALLELING THE SOUTHERN SIDE OF ROUTE 18. GROUND CLEARING AND/OR TRENCHING HAS BEEN COMPLETED IN AT LEAST FOUR SECTIONS BETWEEN YJ075203 AND THE SONG MIO (RIVER) AT XJ967235. CONSTRUCTION IS OBSERVED BETWEEN YJ075203 AND YJ068215, YJ066217 AND YJ064218, YJ047222 AND YJ039223, YJ036224 AND YJ030225, XJ996225 AND XJ990225, AND XJ982227 AND XJ967235. A PROBABLE TRENCHER IS AT YJ034224. CLOUDS PRECLUDE OBSERVATION OF PIPELINE CONSTRUCTION WEST OF THE SONG MIO (RIVER). NUMEROUS POSSIBLE HUT-TYPE SUPPORT BUILDINGS AND NINE OPEN-BED CARGO TRUCKS ARE IN THE IMMEDIATE VICINITY OF STORAGE AREA. (INITIAL SCARRING WAS FIRST OBSERVED OIMSECRET GFW: 9 TRUCKS MPR:AMS SERIES L7014, SHEETS CLASSIFICATION

25**X**1

25X1

25X1

25X1

6350-I, 6351-II, 6450-IV

SECRET

PAGE 4 OF 5

1 22 ITMOO: HA TOU NAVAL SUPPLY DEPOT 44 52 54 3 31 FRM CTY: VN 205655N1070940E INT: FCV CL 14 39 UTM: 48QYJ247177 URG: SLR: IFR: STA:OPR NVL:4 P-6 AND 4 P-4

1 ITMOO) MUANG LA BRIDGE CONSTRUCTION 3 44 52 54 CTY: LA 205155N1020735E INT: GCO CL FRM: 14 27 39 UTM: 48QTJ011097 URG: SLR: IFR: STA: COM RMK: CONSTRUCTION OF THE MUANG LA HIGHWAY BRIDGE OVER THE NAM PHAK (STREAM) AT TJOLLO97 NOW APPEARS TO BE COMPLETE AND SUSTAINING VEHICULAR TRAFFIC.

MPR:AMS SERIES L7015, SHEET 5950-IV

SECRET

25X1

25X1

25X1

25X1

25X1

SECRET

PAGE <u>5</u> OF <u>5</u>

1 ITMOO REACTIVATION ROUTE 964 44 FRM: CTY:LA 152950N1055100E INT:FPO SC 39 UTM: 48P XC 984140 URG: SLR: IFR: STA: OPR RMK: ROUTE 964, PREVIOUSLY IN DISUSE, IS NOW SERVICEABLE AND SUSTAINING LIGHT TRAFFIC AT LEAST 6.5 NM WEST FROM THE JUNCTION WITH ROUTE 96. MPR:AMS SERIES L7015, SHEET 6339

1 REACTIVATION ROUTE 23 52 54 ITMOC CTY: LA 170422N1054538E INT: FPO SC FRM 14 27 39 UTM: 48QWD808876 URG: SLR: IFR: STA: OPR RMK: A 19.5-NM SEGMENT OF ROUTE 23 (SEGMENTS E, F, AND PART OF D), PREVIOUSLY IN DISUSE, IS NOW SERVICEABLE AND SUSTAINING LIGHT TRAFFIC, FROM THE JUNCTION WITH ROUTE 2303 GENERALLY SSE TO THE JUNCTION WITH 239. MPR:TOPOCOM SERIES L7015, SHEETS 6142-I, 6143-II EOM GP-1

SECRET

CLASSIFICATION

25X1

25X1

25X1

25**X**1

25X1